United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/511,610	04/18/2005	Renato Cantini	261204US2XPCT	7462		
22850 ORLON SPIN	7590 01/14/2008 VAK MCCLELLAND MA	EXAM	EXAMINER			
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			SAFAIPOUR	SAFAIPOUR, BOBBAK		
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER		
			2618			
			NOTIFICATION DATE	DELIVERY MODE		
			01/14/2008	ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

		Application N	o.	Applicant(s)												
		10/511,610		CANTINI ET AL.												
	Office Action Summary	Examiner		Art Unit												
		Bobbak Safaip		2618												
Pe	The MAILING DATE of this communication apprinted for Reply	pears on the co	ver sheet with the co	orrespondence ad	idress											
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filled after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).																
St	atus															
	1)⊠ Responsive to communication(s) filed on <u>22 O</u>	October 2007.														
•	,— .	s action is non-	final.													
	,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.														
Disposition of Claims																
	4) Claim(s) 1-15 is/are pending in the application),														
4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1-15</u> is/are rejected. 7) ☐ Claim(s) is/are objected to.																
								8) Claim(s) are subject to restriction and/or election requirement.								
							A	oplication Papers								
								9) The specification is objected to by the Examine								
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.																
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).																
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).																
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.																
P	riority under 35 U.S.C. § 119															
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 																
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).																
* See the attached detailed Office action for a list of the certified copies not received.																
	tachment(s)		.													
	Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)	Interview Summary Paper No(s)/Mail Da													
	Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	•	Notice of Informal F													

10/511,610 Art Unit: 2618

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/22/2007 has been entered.

Response to Arguments

Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.

10/511,610 Art Unit: 2618

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bishop et al. (US 5,826,082; hereinafter Bishop) in view of Nassor (US 6,687,800 B1).

Consider claim 1, Bishop discloses a method for management of resources of a portable resource module, the resource module connected to a communication terminal and designed in particular as a chipcard, and the resources comprising electronic memory units, the method comprising:

transmitting a first resource management instruction for making ready or releasing resources to a resource management centre external to the resource module (col. 2, lines 36-45; can be accessed over a network connection), the first resource management instruction comprising a module identification identifying the resource module (abstract; col. 1, line 65 to

Art Unit: 2618

col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11; The first request identifies a first resource.);

determining in the external resource management centre if sufficient resources are available in the resource module identified through the module identification to meet requirements of the first resource management instruction (col. 3, lines 18-30; col. 3, line 63 to col. 4, line 11; The resource manager determines if the requested amount of the requested resource is available.);

transmitting a second resource management instruction from the resource management centre via a an external telecommunication network to the resource module identified through the module identification (figure 1; col. 5, lines 40-67; second and third threads); and

making ready or releasing resources, in accordance with the received second resource management instruction, through a resource control mechanism in the identified resource module (col. 3, lines 19-30, col. 4, lines 5-10).

Bishop fails to specifically disclose transmitting a resource management confirmation from the identified resource module via the telecommunication network to the external resource management centre; and storing information in the external resource management centre about the resources made ready or released, the information being stored assigned to the module identification.

In related art, Nassor discloses transmitting a resource management confirmation from the identified resource module via the telecommunication network to the external resource management centre (col. 7, lines 8-11; col. 9, lines 11-22; Indicates the loading of the application has been performed correctly); and storing information in the external resource management

Art Unit: 2618

centre about the resources made ready or released, the information being stored assigned to the module identification (col. 1, lines 55-67; col. 4, lines 6-21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Nassor into the teachings of Bishop to load and unload a programmable memory as a function of the need for the program run by the card and for applicative data.

Consider claim 7, Bishop discloses a system comprising:

a plurality of portable resource modules, each connected to a communication terminal and each comprising a resource control mechanism for making ready and releasing resources in the respective resource module (col. 3, lines 19-30; col. 4, lines 5-10), the resources comprising electronic memory units, and the portable resource modules are designed as chipcards, and

a resource management centre, external to the plurality of portable resource modules, including a receiving module for receiving a first resource management instruction comprising a module identification, transmitted to the external resource management centre (abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11; The first request identifies a first resource.), the external resource management centre also including a management instruction module for transmitting, to the resource module identified by the module identification, a second resource management instruction via an external telecommunication network connected to the resource management centre (figure 1; col. 5, lines 40-67; second and third threads).

10/511,610

Art Unit: 2618

Bishop fails to specifically disclose that the resource modules each include a confirmation module for transmission of a resource management confirmation via the communication network to the external resource management centre concerning resources which have been made ready or released through the resource control mechanism in accordance with a received second resource management instruction; and the external resource management centre includes a management module and a data store for storing information about the resources made ready or released, the information being stored assigned to the module identification.

In related art, Nassor discloses that the resource modules each include a confirmation module for transmission of a resource management confirmation via the communication network to the external resource management centre concerning resources which have been made ready or released through the resource control mechanism in accordance with a received second resource management instruction (col. 7, lines 8-11; col. 9, lines 11-22; Indicates the loading of the application has been performed correctly); and the external resource management centre includes a management module and a data store for storing information about the resources made ready or released, the information being stored assigned to the module identification (col. 1, lines 55-67; col. 4, lines 6-21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Nassor into the teachings of Bishop to load and unload a programmable memory as a function of the need for the program run by the card and for applicative data.

10/511,610 Art Unit: 2618

Consider claim 13, Hoshino discloses a resource management centre for management of resources of portable resource modules, each portable resource module being connected to a communication terminal, and each portable resource comprising a resource control mechanism for making ready or releasing resources in the respective resource module, the resources comprising electronic memory units, and which portable resource modules are designed in particular as chipcards, comprising:

a receiving module for receiving a first resource management instruction for making ready or releasing resources transmitted to the external resource management centre (col. 2, lines 36-45; can be accessed over a network connection), the first resource management instruction comprising a module identification identifying the resource module (abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11; The first request identifies a first resource.);

a determining module for determining if sufficient resources are available in the resource module identified through the module identification to meet requirements of the first resource management instruction (col. 3, lines 18-30; col. 3, line 63 to col. 4, line 11; The resource manager determines if the requested amount of the requested resource is available.);

a management instruction module for transmitting, to the resource module identified through the module identification, a second resource management instruction via a telecommunication network connectible to the external resource management centre (figure 1; col. 5, lines 40-67; second and third threads);

Bishop fails to specifically disclose means for receiving a resource management confirmation via the communication network from the identified resource module concerning

10/511,610 Art Unit: 2618

resources which have been made ready or released through the resource control mechanism in accordance with the received second resource management instruction; a management module and a data store for storing information about the resources made ready or released, the information being stored in a way assigned to the module identification.

In related art, Nassor discloses means for receiving a resource management confirmation via the communication network from the identified resource module concerning resources which have been made ready or released through the resource control mechanism in accordance with the received second resource management instruction (col. 7, lines 8-11; col. 9, lines 11-22; Indicates the loading of the application has been performed correctly); a management module and a data store for storing information about the resources made ready or released, the information being stored in a way assigned to the module identification (col. 1, lines 55-67; col. 4, lines 6-21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Nassor into the teachings of Bishop to load and unload a programmable memory as a function of the need for the program run by the card and for applicative data.

Consider claim 2, and as applied to claim 1 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the module identification and an application request are transmitted by the user of the communication terminal to an application management unit (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11),

10/511,610 Art Unit: 2618

wherein the first resource management instruction is transmitted by the application management unit to the resource management centre on the basis of the received application request, the first resource management instruction comprising a resource user identification (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11);

wherein the resource user identification is stored, assigned to the module identification, in the resource management centre. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Consider claim 3, and as applied to claim 2 above, Bishop, as modified by Nassor, discloses the claimed invention wherein a resource preparation confirmation is transmitted form the resource management centre to the application management unit (Nassor: col. 7, lines 8-11; col. 9, lines 11-22),

wherein an application installation request is transmitted from the application management unit via the external telecommunication network to the particular resource module (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11),

wherein an application is installed in the particular resource module through the resource control mechanism in accordance with the application installation request using the prepared resources (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11);

10/511,610 Art Unit: 2618

wherein information about the installed application is stored in the application management unit, the information being stored assigned to the module identification. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Consider claim 4, and as applied to claim 1 above, Bishop, as modified by Nassor, discloses the claimed invention wherein in the resource management centre an application installation request is inserted into the second resource management instruction (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11), and

wherein an application is installed in the particular resource module through the resource control mechanism in accordance with the application installation request (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11);

wherein information about the installed application is stored in the resource management centre, the information being stored assigned to the module identification. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21).

Consider claim 5, and as applied to claim 1 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the communication address of the communication terminal is determined from a data store in which module identifications and communication addresses assigned to these module identifications are stored. (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

10/511,610 Art Unit: 2618

Consider claim 6, and as applied to claim 1 above, Bishop, as modified by Nassor, discloses the claimed invention wherein managed in addition are software resources of the resource modules (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11).

Consider claim 8, and as applied to claim 7 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the system includes an application management unit for receiving the module identification and an application request from the user of the communication terminal and for transmitting the first resource management instruction to the resource management centre on the basis of the received application request, (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11))

the first resource management instruction includes a resource user identification, (Bishop: col. 2, lines 36-45) and

wherein the management module includes means for storing in the data store the resource user identification in a way assigned to the module identification. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Consider claim 9, and as applied to claim 8 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the resource management module comprises a confirmation module for transmission of a resource preparation confirmation to the application management unit, (Nassor: col. 7, lines 8-11; col. 9, lines 11-22)

10/511,610 Art Unit: 2618

wherein the application management unit includes an application instructions module for transmitting an application installation request via the external telecommunication network to the particular resource module, (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

wherein the resource control mechanism includes means for installing an application in the respective resource module in accordance with the application installation request and using the prepared resources. (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11);

wherein the application management unit includes an application management module for storing information about the installed application, the information being stored assigned to the module identification. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Consider claim 10, and as applied to claim 7 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the management instruction module includes means for inserting an application installation request into the second resource management instruction, (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

wherein the resource control mechanism includes means of installing an application in the respective resource module in accordance with the application installation request (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11) and

10/511,610 Art Unit: 2618

wherein the management module includes means for storing information about the installed application, the information being stored, assigned to the module identification, in the data store. (Bishop: col. 2, lines 36-45; Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Consider claim 11, and as applied to claim 7 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the system comprises an address mapping unit and a data store for determining the communication address of the communication terminal in which data store module identification and communication addresses are assigned to these module identification are stored. (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

Consider claim 12, and as applied to claim 7 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the resources which are made ready and released through the resource control mechanism further comprise, in addition, software resources.

(Bishop: col. 3, lines 19-30; col. 4, lines 5-10)

Consider claim 14, and as applied to claim 13 above, Bishop, as modified by Nassor, discloses the claimed invention wherein the management instruction module further comprises means for inserting an application installation request into the second resource management instruction (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

10/511,610

Art Unit: 2618

wherein the management module further comprises means for storing information about an application installed in the particular resource module in accordance with the application installation request, the information being stored, assigned to the module identification, in the data store. (Bishop: abstract; col. 1, line 65 to col. 2, line 11; col. 3, lines 5-11 and 18-30; col. 3, line 63 to col. 4, line 11)

Consider claim 15, and as applied to claim 13 above, Bishop, as modified by Nassor, discloses the claimed invention wherein a confirmation module for transmitting a resource preparation confirmation to an application management unit from which the first resource management instruction was received by the receiving module (Nassor: col. 7, lines 8-11; col. 9, lines 11-22),

wherein the management module further comprises means for storing a resource user identification contained in the first resource management instruction, the resource user identification being stored, assigned to the module identification, in the data store. (Nassor: col. 1, lines 55-67; col. 4, lines 6-21)

Conclusion

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

10/511,610 Art Unit: 2618

> **Customer Service Window** Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Bobbak Safaipour whose telephone number is (571) 270-1092. The Examiner can normally be reached on Monday-Friday from 9:00am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Lana Le can be reached on (571) 272-7891. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Bobbak Safaipour B.S./bs January 6,2008

01-07-08

LANA LE PRIMARY EXAMINER